Staying Healthy: Recommendations for MEN



The Veterans Health Administration (VHA) aims to help you stay healthy. The table below lists the preventive health services (screening tests, medications, health counseling, and vaccines) that VHA recommends. Screening tests are used to look for health conditions before there are symptoms. These recommendations apply only to adult men of average risk. You are a man of average risk if you have no personal or family history or symptoms of the conditions listed below. If you are having symptoms of a condition, please talk with your provider.

Which preventive health services are recommended for average risk men in my age group?

Green: Recommended Yellow: Recommended for some men – talk with your provider Red: Not recommended (NR)

SCREENING TESTS FOR AVERAGE RISK VETERANS

HEALTH CONDITIONS	18–29 years	30–39 years	40–49 years	50–59 years	60–69 years	70–79 yea	years 80 years and olde		
Abdominal Aortic Aneurysm (AAA)	Not recommended (age 18—64)						Not recommen (age 76 and ol		
Colon Cancer	Not reco	mmended (age 18–44)			mended. est chosen (age 45–75)		Talk with your provider (age 76–85)	NR (age 86 and older)	
Depression	Recommended every year								
Hepatitis B Infection	Recommended for some men — talk with your provider (age 18 and older)								
Hepatitis C Infection	Recommended in adults aged 18-79 years								
High Blood Pressure	Recommended every year (age 18 and older)								
HIV Infection	Recommended once (age 18 and older); annually in Veterans with ongoing risk factors								
Lung Cancer	N	ot recommended (age 18–4	l 9)	Recommended for some men — talk with your provider (age 50—80)				Not recommended (age 81 and older)	
Prostate Cancer		Not recommended (ag	je 18–54)	Talk with your provider (age 55-69) Not recommende			commended (age 70 and	older)	
Sexually Transmitted Infections	Talk with your provider about testing for syphilis and other sexually transmitted infections (age 18 and older)								

MEDICATIONS

HEALTH CONDITIONS	18–29 years	30–39 years	40–49 years	50–59 years	60–69 years	70–79 years	80 years and older	
Aspirin to Prevent Cardiovascular Disease	Not recommended (age 18–39)		Talk with your provider (age 40–59)		Not recommended (age 60 and older)			
PrEP to Prevent HIV Infection	Talk with your provider (age 19 and older)							
Statin to Prevent Cardiovascular Disease	Not recommended (age 19–40) Recommended for some men – talk with your provider (age 40 and older)							

HEALTH COUNSELING

HEALTH CONDITIONS	18–29 years	30–39 years	40–49 years	50–59 years	60–69 years	70–79 years	80 years and older			
Tobacco Use	Recommended every visit (if using tobacco) (age 18 and older)									
Alcohol Use	Talk with your provider about healthy alcohol use (age 18 and older)									
Healthy Diet and Physical Activity	Talk with your provider about a healthy diet and physical activity (age 18 and older)									
Overweight & Obesity	Recommended every year (age 18 and older)									

VACCINES										
HEALTH CONDITIONS	19–29 years	30–39 years	40–49 years	50–59 years	60–69 years	70–79 ye	ars	80 years and older		
COVID-19	Recommended for all men — talk with your provider to make sure you stay up-to-date (https://www.va.gov/health-care/covid-19-vaccine/)									
Hepatitis A	Recommended for some men — talk with your provider (age 19 and older)									
Hepatitis B	Recommen	Recommended for all men who have not already had Hepatitis B vaccine (age 19-59) Recommended for some men - talk with your provider (age 60 and older)								
Herpes Zoster (Shingles) RZV vaccine	Recommended for s	Recommended for some men — talk with your provider (age 19 and older) Recommended 2 doses (age 50 and older), with second dose 2—6 months after fire						ths after first dose		
Human Papilloma Virus (HPV) HPV9 vaccine	2—3 doses (age 19—26) if series not completed Talk with your provider (age 27—45) Not recommended (age 46 and older)									
Influenza (Flu) Injectable, Inhaled		Recommended every year (age 19 and older)								
Measles, Mumps, and Rubella (MMR)	Recommended for some men — talk with your provider (age 19 and older)									
Meningococcal Disease	Recommended for some men — talk with your provider (age 19 and older)									
Preumococcal Disease PCV20 vaccine, PCV15 vaccine, PPSV23 vaccine		Recommended — talk with your provider to make sure you are up-to-date (age 65 and older)								
Respiratory Syncytial Virus (RSV) RSV vaccine		Not recommer		"One time" (single lifetime) dose recommended for some men – talk with your provider (age 60–74)			ne" (single lifetime) dose ed for men age 75 and older			
Tdap (Tetanus, Diphtheria & Pertussis)	Recommend at least 1 dose (age 19 and older) Booster every 10 years (age 19 and older)(Either Tdap or Td may be used) (Or for wound management if > 5 years have passed since last tetanus toxoid-containing booster vaccine).									
Td (Tetanus and diphtheria)	Recommended. Booster every 10 years (age 19 and older) (Either Tdap or Td may be used) (Or for wound management if $>$ 5 years have passed since last tetanus toxoid-containing booster vaccine).									
Varicella (Chickenpox)		ed for some men - talk with you	our							

Current evidence is based on birth sex. Because there is limited research on transgender and gender-diverse people, VA recommends talking with your health care provider for individualized clinical preventive services to achieve optimal health and well-being. See https://www.patientcare.va.gov/LGBT/

To view a copy on your mobile device, scan the QR code or visit:





